PROJECT: PROPOSED CONSTRUCTION OF A LABORATORY

BLOCK AT MUNGA DAY SECONDARY SCHOOL

CLIENT: MAARA CONSTITUENCY DEVELOPMENT

FUND

BILLS OF QUANTITIES



GENERAL PRELIMINARIES

COUNTY ARCHITECT COUNTY WORKS OFFICER

-- MAR 2024

DUPARTMENT OF TRANSPORT.
FOADS, INFRASTRUCTURE & INDUSTRY
THARAKA NITHI COUNTY

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| | GENERAL PRELIMINARIES | |
| A | <u>ABBREVIATIONS</u> | |
| A | ABBREVIATIONS Throughout these Bills units of measurement and terms are abbreviated and shall be interpreted as follows:- CM or Cm Shall mean cubic meter SM or Sm Shall mean square meter LM or Lm Shall mean linear meter LM or Lm Shall mean Millimeter KG or Kg. Shall mean Kilogramme No or Nr Shall mean Number PRS or Prs. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I England M.S. Shall mean measured separately Ditto shall mean the whole of the preceding description except as qualified in the description in which it occurs. Do shall mean the whole of the preceding description except as qualified in the description in which it occurs. a.b.d. Shall mean as before described © Shall mean at | DFFICER |
| | Total carried to collections | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|-----------|--|--------------|
| A | PLANT, TOOLS AND VEHICLES | |
| | Allow for providing all scaffolding, plant, tools and vehicles required for the worksexcept in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work. | |
| В | TRANSPORT. | |
| | Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent | |
| | Allow for transport of project management team to and from the site for meeting or supervision wherever need arises; at such hours and by such routes as may be permitted by the competent authorities. | |
| C | MATERIALS AND WORKMANSHIP. | |
| | All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials. | |
| D | SIGN FOR MATERIALS SUPPLIED. | |
| | The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and | |
| COUNT | expense, to the satisfaction of the PROJECT MANAGER | |
| | MAR 2024 | |
| UPARTMY | TOTAL Carried to collections | |
| A.S.A.S.A | MARI COUNTY TOTAL CAFFIED TO COHECTIONS | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|-----------|--|--------------|
| A | STORAGE OF MATERIALS | |
| | The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use. | |
| В | SAMPLES | |
| | The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER PROVIDED THEY PASS THE TEST. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Public Works. The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated subcontractors' work. | |
| | Samples of paint, carpets, curtains & covers, tiles & timber shall be required for approval by the PM together with the employer. No alternte rate shall be offered on account that the employer has chosen a | |
| printered | superior finish unless the bidder had attached the sample he priced. | |
| C | COUNTY ARCHITECT DUNTY WORKS OFFICER | |
| | MAR 2024 | |
| 70 | DEPARTMENT OF TRANSPORT. LUS. INFRASTRUCTURE & INDUSTRY LABAKA NITHI COUNTY | |
| (Seconds) | Total carried to collections | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| A | PUBLIC AND PRIVATE ROADS. | |
| | Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER | |
| В | EXISTING PROPERTY. | |
| | The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER | |
| C | ACCESS TO SITE AND TEMPORARY ROADS. | |
| | Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER | |
| D | AREA TO BE OCCUPIED BY THE CONTRACTOR | |
| | The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER | |
| | COUNTY WORKS OFFICER MAR 2024 DEPARTMENT OF TRANSPORT. FOADS, INFRASTRUCTURE & INDUSTRY THARAKA NITHI COUNTY | |
| | Total carried to collections | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|----------|--|--------------|
| A | The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and subcontractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public. | |
| В | PROGRESS CHART. | |
| | The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds. | |
| С | INSURANCE | |
| | The Contractor shall insure as required in Conditions No. 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection. | |
| D | CONTRACTOR'S SUPERINTENDENCE/SITE AGENT | |
| | The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract. | |
| | UNTY ARCHITECT ITY WORKS OFFICER | |
| DEP | MAR 2024 RIMPNI OF TRANSPORT. | |
| \$25AD5. | Total carried to collections | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| A | PROVISIONAL WORK | |
| | All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense. | |
| В | PROVISIONAL SUMS. | |
| | The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit. | |
| С | ADJUSTMENT OF PROVISIONAL SUMS. | |
| | In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added. | |
| | COUNTY WORKS OFFICER MAR 2024 DEPARTMENT OF TRANSPORT, FOADS, INFRASTRUCTURE & INDUSTRY THARAKA DITHI COUNTY | |
| | Total carried to collections | |

| ITEM | DESCRIPTION | | AMOUNT(Kshs. |
|------|---|---|---|
| A | PRIME COST (OR P.C.) SUMS. | | |
| | The term "Prime Cost Sum" or "P.C. Sum" wherever used in Quantities shall have the meaning stated in Section A item A Standard Method of Measurement . Persons or firms nominar PROJECT MANAGER to execute work or to provide and fix goods are described herein as Nominated Sub-Contractors.Pefirms so nominated to supply goods or materials are describe Nominated Suppliers. | | |
| В | ADJUSTMENT OF P.C. SUMS. | | |
| | In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor. | | ARCHITECT ORKS OFFICER |
| С | NOMINATED SUB-CONTRACTORS | DEPARTMENT TO ADS. INFRAS THARAKA | TOF TRANSPORT. |
| | When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance". | | SECRETARIO SE SECULIO |
| | Total carried to collections | | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|-------|---|--------------|
| A | DIRECT CONTRACTS | |
| | Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed. | |
| В | ATTENDANCE UPON OTHER TRADESMEN, ETC. | |
| | The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills. | |
| C | OFFICE ETC. FOR THE PROJECT MANAGER (NOT APPLICABLE) | |
| OUNTY | The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen | |
| MTY W | AR 2024 | |
| | COR TRANSPORT | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| A | WATER AND ELECTRICITY SUPPLY FOR THE WORKS | |
| | The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Subcontractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for | 15,000 |
| В | SANITATION OF THE WORKS | |
| | The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER | |
| С | SUPERVISION AND WORKING HOURS | |
| | The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract. | |
| D | PROTECTION OF THE WORKS. | |
| | completion free of cost to the Government. | F TRANSPORT. |
| | The country of the co | 111 |
| | Total carried to collections | 15,000.00 |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| A | WORKS TO BE DELIVERED UP CLEAN | |
| | Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER | 8,000 |
| В | GENERAL SPECIFICATION. | |
| | For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or | |
| С | TRAINING LEVY | |
| | The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value. | |
| D | MATERIALS ON SITE | |
| | All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers. | |
| | COUNTY ARCHITECT COUNTY WORKS OFFICER MAR 2024 | |
| | DEPARTMENT OF TRANSPORT. FOADS, INFRASTRUCTURE & INDUSTRY THARAKA NITHI COUNTY | |
| | Total carried to collections | 8,000.00 |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|---|--------------|
| A | <u>HOARDING</u> | |
| | The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails for a total length of approximately three hundred meters. The Contractor is in addition required to take all precautions necessary for the safe custody of the works,materials, plant, public and Employer's property on the site. | |
| В | ALTERATIONS TO BILLS, PRICING, ETC. | |
| | Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted. | |
| С | MATERIALS ARISING FROM EXCAVATIONS | |
| | Materials of any kind obtained from the excavations shall be the property of the Government. Unless otherwise provided for in the particular preliminaries. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed. | |
| D | PREVENTION OF ACCIDENT, DAMAGE OR LOSS | |
| | The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of normal activities being carried out by the Client. The Contractor shall allow in his rates any expense he deems necessary by taking such care within the site. | |
| | Total carried to collections | |

| ITEM | DESCRIPTION | AMOUNT(Kshs. |
|------|--|--------------|
| A | GOVERNMENT ACTS REGARDING WORKPEOPLE ETC. | |
| | Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow No claim in respect of want of knowledge in this connection will be entertained. | |
| В | REMOVAL OF RUBBISH ETC. | |
| | Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion. | |
| С | BLASTING OPERATIONS | |
| | Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives. | |
| D | <u>SIGNAGE</u> | |
| | Allow for providing after the course of the Contract and afterwards clearing away a signage as designed, specified and approved by the Project Manager. | |
| | Total carried to collections | |

| ITEM | DESCRIPTION | AMOU | NT(Kshs. |
|------|--|----------|-----------|
| | COLLECTION | | |
| | Brought Forward From Page GP/2 | | |
| | Brought Forward From Page GP/3 | | |
| | Brought Forward From Page GP/4 | | |
| | Brought Forward From Page GP/5 | | |
| | Brought Forward From Page GP/6 | | |
| | Brought Forward From Page GP/7 | | |
| | Brought Forward From Page GP/8 | | |
| | Brought Forward From Page GP/9 | | 15,000.00 |
| | Brought Forward From Page GP/10 | | 8,000.00 |
| | Brought Forward From Page GP/11 | | |
| | Brought Forward From Page GP/12 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | COUNTY ARCHIT | | |
| | MAR 2024 | | |
| | DUPARTMUNT OF TRANS 50ADS INFRASTRUCTURE & THARAKA DITTHI CC | MINISTRY | |
| | Total Carried to Main Summary | | 23,000.00 |

MEASURED WORKS



| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|--------|---|-----|------|------|------------|
| | SECONDARY SCHOOL | | | | |
| | LABORATORY BLOCK | | | | |
| | ELEMENT NO. 1 | | | | |
| | Site clearance | | | | |
| A | Clear the site off grass, shrubs and all vegetation; cart away as directed | 192 | sm | 50 | 9,600.00 |
| | Excavation | | | | |
| | Over-site excavations: 100-200mm Depth, load and deposit as instructed by the project manager | | | | |
| В | Reducing levels; 200 mm | 192 | sm | 100 | 19,200.00 |
| С | Excavate for strip footing trenches n.e. 1.5 m deep | 77 | cm | 350 | 26,950.00 |
| Е | Level bottom of foundations to receive blinding | 52 | sm | 80 | 4,160.00 |
| F | Return, fill-in and rum selected imported materials around foundations | 69 | cm | 250 | 17,250.00 |
| G | Remove and cart away surplus excavated materials. | 8 | cm | 300 | 2,400.00 |
| | <u>Diposal of water</u> | | | | |
| Н | Keeping all excavations free from all water including spring or running water | 1 | Item | | 8,000.00 |
| | Planking and strutting | | | | |
| I | Uphold the sides of all excavations | 1 | Item | | 5,000.00 |
| | <u>Filling</u> | | | | |
| J | Hardcore filling in making up levels, hand packed, 300mm thick in layers of 150mm maximum thickness | 58 | cm | 950 | 55,100.00 |
| K | 50mm (average) thick murram blinding to surfaces of hardcore | 192 | sm | 120 | 23,040.00 |
| COUNTY | Y ARCHITECT WORKS OFFICER | | | | |
| | MAR 2024 Carried to Collection | | | | 170,700.00 |

CO

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|--|-----|------|-------|------------|
| | Antitermite treatment | | | | |
| A | Premise 200 SC' or other equal and approved anti-termite insecticide treatment with ten years guarantee, applied strictly in accordance with manufacturer's instructions, to tops of fill and foundation walls | 192 | sm | 180 | 34,560.00 |
| | Concrete Insitu concrete;mass concrete mix 1:3:6 | | | | |
| В | 50mm blinding to foundations | 52 | sm | 400 | 20,800.00 |
| | Insitu concrete; reinforced; class 25 / (25mm); vibrated | | | | |
| С | Strip footing | 8 | cm | 13800 | 110,400.00 |
| D | 150mm thick bed | 192 | sm | 1600 | 307,200.00 |
| | Reinforcement Bars; high yield steel; cold worked to B.S. 4461 and hot rolled to B.S. 4449 including bends, hooks, tying wire and distance blocks | | | | |
| Е | In assorted reinforcement of various sizes | 737 | kg | 170 | 125,290.00 |
| | <u>Fabric; B.S. 4483</u> | | | | |
| F | Reference A96 mesh 200 x 200 mm, weight 2.22 kgs per square meter (measured net - no allowance made for laps (inclunding bends, tying wire and distance blocks | 192 | sm | 450 | 86,400.00 |
| | Walling | | | | |
| G | 200 mm thick natural stone foundation walling bedded in c/s mortar | 68 | sm | 1400 | 95,200.00 |
| | Sawn formwork to insitu concrete as described:- | | | | |
| Н | Edges of ground floor slab; 75 to 150mm wide | 58 | lm | 550 | 31,900.00 |
| | Damp proofing | | | | |
| I | Polythene sheet; 1000 gauge, 200mm welted laps (no allowance made to laps), horizontal; 1 no. layer laid on compacted quarry dust blinding | 192 | sm | 110 | 21,120.00 |
| | Carried to Collection | | | | 832,870.00 |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|--|--------|---------|------|--------------|
| A | Insitu Finishings 14mm thick 2 No. coatwork cement sand (1:3) render; wood floated to concrete or blockwork base to walls; external Painting and Decorations | 24 | sm | 350 | 8,400.00 |
| | Prepare and apply three coats bituminous paint to: | | | | |
| В | Wood floated rendered plinths over 300mm girth | 24 | sm | 300 | 7,200.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to Collection | | | | 15,600.00 |
| | COLLECTION | | | | |
| | From page BW/1 | | | | 170,700.00 |
| | From page BW/2 | | | | 832,870.00 |
| | From page above | | | | 15,600.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | COUNTY A | | | | |
| | DUPARTMUNT OF SOADS, INFRASTRU | F TRAM | NEWSTRY | | |
| | THARAKA NI | | UNTY | 1 | |
| | TOTAL FOR SUBSTRUCTURES CARRIED TO SUMMARY | | | | 1,019,170.00 |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|-------|---|---------------|------|-------|------------|
| A | ELEMENT NO. 2 SUPERSTRUCTURE WALLING Bituminous or other equal approved damp-proof course 200mm Wide approved quality 3-ply bituminous felt damp proof course under walls Masonry Walling | QTY 67 | LM | 200 | K.SHS |
| | Approved Natural machine dressed stone in cement and sand (1:3) mortar and including reinforcing with 20 x 3mm thick hoop iron in every alternate coursE (piers are included in the measurements of the wall) | | | | |
| В | 150mm thick walling | 124 | sm | 1500 | 186,000.00 |
| С | 100mm thick walling to gas chamber and chimney | 23 | sm | 1200 | 27,600.00 |
| | Vibrated Reinforced concrete grade 25 to: | | | | |
| D | Ring beam | 4 | cm | 13800 | 55,200.00 |
| | High yield ribbed bar reinforcement to B.S 4461 | | | | |
| Е | In assorted reinforcement of various sizes | 383 | kg | 170 | 65,110.00 |
| | <u>Sawn formwork to</u> | | | | |
| F | Sides and soffits of ring beam | 57 | sm | 550 | 31,350.00 |
| G | Supply and fix 50mm CHS 2mm thick verandah posts (3.64kg/m) | 69 | kg | 330 | 22,770.00 |
| Н | Paint works to steel surfaces as described | 19 | sm | 90 | 1,710.00 |
| | ARCHITECT ORKS OFFICER | | | | |
| M | AR 2024 | | | | |
| AKA I | TOTAL FOR SUPERSTRUCTURE CARRIED TO SUMMARY | | | | 378,660.00 |

COU

DHE

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-----|------|------|------------|
| | ELEMENT NO. 3 | | | | |
| | ROOFING CONSTRUCTION, COVERING AND RAIN WATER DISPOSAL | | | | |
| | Roof covering. | | | | |
| | Galvanized C.I resincoat sheets; 30 gauge; prepainted | | | | |
| A | Roof covering; 150mm laps on one end and one and a half corrugation side lap; and nailing to 75x50 mm celcured sawn cypress purlins (m/s) on timber trusses (m/s) at 1200mm c/c all laid to fall at 30 ⁰ | 237 | sm | 1150 | 272,550.00 |
| | Accessories, fixing as necessary to roof sheets | | | | |
| В | 150mm dia. Half round ridge sheet | 20 | lm | 450 | 9,000.00 |
| | CARPENTRY | | | | |
| | The following in sawn celcured cypress timber trusses, bolted connections, to detail; hoisting approx. 3.0m above ground | | | | |
| С | 100 x 50mm rafters | 153 | lm | 350 | 53,550.00 |
| D | 100 x 50mm ceiling joist | 148 | lm | 350 | 51,800.00 |
| Е | 100 x 50mm struts and ties | 183 | lm | 300 | 54,900.00 |
| F | 100 x 50mm king post | 21 | lm | 350 | 7,350.00 |
| | The following in sawn celcured cypress | | | | |
| G | 150 x 50mm wall plate rag-bolted at 1200mm centres with 12mm diameter bolts (m/s) | 71 | lm | 400 | 28,400.00 |
| Н | 200 x 50mm ridge board | 26 | lm | 400 | 10,400.00 |
| J | 75 x 50mm purlins | 175 | lm | 300 | 52,500.00 |
| | | | | | |
| OUNT | Y ARCHITECT WORKS OFFICER | | | | |
| | MAR 2024 Carried to Collection | | | | 540,450.00 |

DUPARTMENT OF TRANSPORT.

DOADS INFRASTRUCTURES INDUSTRY
THASAKA NITHI COUNTY

COI

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-------|------|------|------------|
| | The following in wrot cypress | | | | |
| A | 200 x 25mm thick facsia | 36 | lm | 400 | 14,400.00 |
| В | 200 x 25mm thick barge boards | 26 | lm | 400 | 10,400.00 |
| | Painting and Decorations | | | | |
| | On Woodwork | | | | |
| | Prepare and apply one zinc plumbate primer and three coats of 'CROWN SOLO' or other equal and approved super gloss oil paint to:- | | | | |
| С | Fascias and barge boards; 200 to 300mm girth; external | 62 | LM | 80 | 4,960.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Total carried to collection | | | | 29,760.00 |
| | COLLECTION | | | | |
| | From page BW/5 | | | | 540,450.00 |
| | From page Above | | | | 29,760.00 |
| | | | | | |
| | | | | | |
| | COUNTY ARCHITECT COUNTY WORKS OFFICER | | | | |
| | DEPARTMENT OF TRANSPORT. | | | | |
| | THARAKA NITHI COUNTY | | | | |
| | TOTAL FOR ROOFING CONSTRUCTION CARRIED T | O SUM | MARY | | 570,210.00 |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-----|------|-------|------------|
| | ELEMENT NO. 5 | | | | |
| | DOORS | | | | |
| | | | | | |
| | METAL WORK - PURPOSE - MADE UNITS | | | | |
| | Mild steel casement doors; 100 x 50 x 3mm thick frame plugged to concrete or blockwork with 100mm long fishtailed 25 x 25 x 2mm thick angle section, 50 x 50 x 3mm thick angle section frames at 300mm centres both sides, angles cut, mitred and welded; panels infilled with glazing (m/s), one coat manufacturer's primer, complete with all | | | | |
| | necessary ironmongery and paintworks; all welding ground to smooth finish | | | | |
| | | | | | |
| A | 1500 x 2400mm high, complete; Double swing door | 2 | No. | 36000 | 72,000.00 |
| | <u>Internal Doors</u> | | | | |
| | Frame and Finishing | | | | |
| | Wrot hardwood as described | | | | |
| В | 75 x 25 mm; 2 No. labours; plugged door frame | 17 | lm | 850 | 14,450.00 |
| С | 40 x 25 mm weathered architrave | 17 | lm | 90 | 1,530.00 |
| D | 25mm rounded quardrant | 16 | lm | 75 | 1,200.00 |
| | 45mm Thick semi solid core flush doors to B.S 459: part 2 | | | | |
| | veneered both sides with first quality plywood and lipped on all edges in approved hardwood | | | | |
| E | Ditto but solid core size 900 x 2400mm high | 3 | No. | 6800 | 20,400.00 |
| | Ditto but sond core size 700 x 2400mm mgn | 3 | 140. | 0000 | 20,400.00 |
| | | | | | |
| | COUNTY ARCHITECT COUNTY WORKS OFFICER MAR 2024 | | | | |
| | DUPARTMENT OF TRANSPORT, EDADS INFRASTRUCTURE & INDUSTRY THARAKA NITHI COUNTY | | | | |
| | Carried to Collection | | | | 109,580.00 |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-----|------|------|---------------|
| | Iron mongery | | | | |
| | Supply and fix the following to UNION catalogue or other equal and approved | | | | |
| | To softwood, hardwood or the like fixing with screws | | | | |
| A | Two- lever mortice lock complete with set lever brass handle furniture | 3 | No. | 2400 | 7,200.00 |
| В | 100mm steel butt hinges | 4.5 | prs | 120 | 540.00 |
| C | 100mm Long aluminium barrel bolts | 3 | No | 250 | 750.00 |
| | Painting and Decorations | | | | |
| | Prepare and apply three coats oil paint full gloss to Crown | | | | |
| | Solo or other equal and approved to: - | | | | |
| D | General surfaces of doors; internal | 13 | sm | 300 | 3,900.00 |
| Е | General surfaces of metal; external | 15 | sm | 300 | 4,500.00 |
| | Aluminium primer or other equal and approved wood primer before fixing: - | | | | |
| F | Backs of frame, board, etc over 100mm but not exceeding 200mm girth | 12 | lm | 45 | 540.00 |
| | Prepare and apply three coats polyurethane clear varnish | | | | |
| | on woodwork internally | | | | |
| G | Frames; 200 to 300mm girth | 20 | lm | 75 | 1,500.00 |
| Н | Frames not exceeding 100mm girth; internal | 50 | lm | 25 | 1,250.00 |
| | Total carried to collection | | | | 20,180.00 |
| | | | | | , , , , , , , |
| | COLLECTION | | | | |
| | From page BW/7 | | | | 109,580.00 |
| | From pageBW/8 (Above) COUNTY ARCHITECT COUNTY WORKS OFFICE | | | | 20,180.00 |
| | TOTAL FOR DOORS CARRIED TO SUMMARY | | | | 129,760.00 |
| | DEPARTMENT OF TRANSPOR | 7 | | | |

DEPARTMENT OF TRANSPORT, SOADS, INFRASTRUCTURE & INDUSTRY THARAKA NITHI COUNTY

| ELEMENT NO. 6 WINDOWS METAL WORK PURPOSE - MADE UNITS Supply, assemble and fix the following purpose-made mild steel cusement windows; standard metal section from approved manufacturer complete with frames, transomes, multions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, coupling multions, approved inomnogery and one coat manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and priming to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme beight; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to:: F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|--|------|--|-----|------|-------|------------|
| METAL WORK PURPOSE - MADE UNITS Supply, assemble and fix the following purpose-made mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel: for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty 25 sm 1200 30,000.00 D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to:: F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | ELEMENT NO. 6 | | | | |
| METAL WORK PURPOSE - MADE UNITS Supply, assemble and fix the following purpose-made mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm protection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | | | | |
| PURPOSE - MADE UNITS Supply, assemble and fix the following purpose-made mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and with aid including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, compling mullions, approved ironnongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | WINDOWS | | | | |
| Supply, assemble and fix the following purpose-made mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | | | | |
| Steel casement windows; standard metal section from approved manufacturer complete with firames, transomes, mullions and with and including permanent ventilators; comprising "T" bar, gauze and 16 gauge sheet metal hood \$50mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel: for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. | | PURPOSE - MADE UNITS | | | | |
| approved manufacturer complete with frames, transomes, mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood. S0mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat. manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | | | | |
| mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | | | | |
| Comprising "T" bar, gauze and 16 gauge sheet metal hood Somm high x 50mm projection to full width of window, coupling multions, approved frommongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel: for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. 8 No 10125 81,000.00 B Ditto window size 1,000 x 1500mm high 2 No 6750 13,500.00 Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty 25 sm 1200 30,000.00 D Ditto; obscured 2 sm 1400 2,800.00 E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar 18 Im 250 4,500.00 Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | = = | | | | |
| Coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. Steel: for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. | | | | | | |
| manufacturer's primer; all welding ground to smooth finish. Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging 8 No 10125 81,000.00 A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high 2 No 6750 13,500.00 B Ditto window size 1,000 x 1500mm high 2 No 6750 13,500.00 Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty 25 sm 1200 30,000.00 D Ditto; obscured 2 sm 1400 2,800.00 E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar 18 lm 250 4,500.00 Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - 5 sm 300 7,500.00 | | | | | | |
| Steel; for glazing with putty, lugs to two jambs, cutting and pinning to concrete or blockwork, fixing to head and sill with screws; plugging | | | | | | |
| pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | | | | |
| pinning to concrete or blockwork, fixing to head and sill with screws; plugging A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | Steel: for glazing with putty lugs to two jambs cutting and | | | | |
| A Window, overall size 1500 x 1500mm high with 2 No. openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 2 No 6750 13,500.00 30,000.00 2 sm 1200 30,000.00 18 lm 250 4,500.00 | | | | | | |
| openable light size 400 x 1200 mm high. B Ditto window size 1,000 x 1500mm high Clazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 8 No 10125 81,000.00 13,500.00 30,000.00 2 sm 1200 30,000.00 18 lm 250 4,500.00 | | screws; plugging | | | | |
| B Ditto window size 1,000 x 1500mm high Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 2 No 6750 13,500.00 30,000.00 2 sm 1400 2,800.00 18 lm 250 4,500.00 | A | Window, overall size 1500 x 1500mm high with 2 No. | | | | |
| Glazing C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty D Ditto; obscured E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 1200 30,000.00 2,800.00 18 lm 250 4,500.00 | | openable light size 400 x 1200 mm high. | 8 | No | 10125 | 81,000.00 |
| C 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty 25 sm 1200 30,000.00 D Ditto; obscured 2 sm 1400 2,800.00 E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar 18 lm 250 4,500.00 Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | В | Ditto window size 1,000 x 1500mm high | 2 | No | 6750 | 13,500.00 |
| D Ditto; obscured 2 sm 1200 30,000.00 E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar 18 lm 250 4,500.00 Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | Glazing | | | | |
| D Ditto; obscured 2 sm 1400 2,800.00 E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar 18 lm 250 4,500.00 Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | С | 4mm Thick clear sheet glass panes over 0.1 but not exceeding | | | | |
| E WINDOW CILL; 250 x 50 mm extreme height; once weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | 0.5 square meters; fixing with putty | 25 | sm | 1200 | 30,000.00 |
| weathered; once throated; reinforced as necessary for handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | D | Ditto; obscured | 2 | sm | 1400 | 2,800.00 |
| handling; surface fair finish 275 mm girth; bedding, jointing and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 18 Im 250 4,500.00 4,500.00 7,500.00 | Е | WINDOW CILL; 250 x 50 mm extreme height; once | | | | |
| and pointing in cement sand (1:3) mortar Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 18 lm 250 4,500.00 7,500.00 | | • | | | | |
| Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | | 10 | 1 | 250 | 4.500.00 |
| On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | and pointing in cement sand (1.3) mortal | 18 | lm | 250 | 4,500.00 |
| Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | Painting and Decorations | | | | |
| Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | On Metal work | | | | |
| Solo or other equal and approved to: - F General window surfaces; over 300mm girth internal 25 sm 300 7,500.00 | | Prepare and apply three coats oil paint full gloss to Crown | | | | |
| | | | | | | |
| TOTAL FOR WINDOWS CARDIED TO SUMMARY | F | General window surfaces; over 300mm girth internal | 25 | sm | 300 | 7,500.00 |
| TOTAL FOR WINDOWS CARRIED TO SUMMAKE 139,300.00 | | TOTAL FOR WINDOWS CARRIED TO SUMMARY | | | | 139,300.00 |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|--|-----|------|------|------------|
| | ELEMENT NO. 7 | | | | |
| | <u>FINISHES</u> | | | | |
| | Wall finishes | | | | |
| | <u>Insitu finishes</u> | | | | |
| | Render; 15mm thick, 1 No. coatwork of cement and sand (1:3); wood floated to concrete or blockwork base generally to: - | | | | |
| A | Beams; external | 18 | sm | 400 | 7,200.00 |
| В | Extra over horizontal and vertical pointing in 10mm thick rod in cement and sand (1:3) mortar; one coat of bituminous paint on external wall | 99 | sm | 350 | 34,650.00 |
| | Plaster; 18mm thick, 2 No. coatwork, 15mm first coat of cement sand (1:3); 3mm second coat of cement and lime putty (1:9); steel trowelled to concrete or blockwork base generally to: - | | | | |
| С | Walls, beams; internal | 165 | sm | 400 | 66,000.00 |
| | PAINTING AND DECORATING | | | | |
| | Prepare and apply one undercoat and three finishing coats of interior quality emulsion paint to: | | | | |
| Е | Plastered walls | 165 | SM | 350 | 57,750.00 |
| | | | | | |
| | COUNTY WORKS OFFICER MAR 2024 DUPARTMUNT OF TRANSPORT, FOADS, INFRASTRUCTURE & INDUSTRY THARAKA NITHI COUNTY | | | | |
| | Carried to Collection | | | | 165,600.00 |


| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-----|------|------|------------|
| | Floor finishes | | | | |
| | Cement sand screed with approved colour. | | | | |
| | echient sand serecu with approved colour. | | | | |
| A | 25mm thick c/s floor finish coloured to approval. | 192 | sm | 400 | 76,800.00 |
| В | 100mm wide skirting; rounded junction with wall finish, coved junction with floor finish. | 50 | lm | 75 | 3,750.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection | | | | 80,550.00 |
| | | | | | |
| | From page BW / 10 | | | | 165,600.00 |
| | From page BW/ 11(above) | | | | 80,550.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR FINISHES CARRIED TO SUMMARY | | | | 246,150.00 |



| ITEM | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|--|-----|------|-------|------------|
| | <u>WORKTOP</u> | | | | |
| | Concrete Worktops | | | | |
| | Insitu concrete ; reinforced ; class 20/20mm ;vibrated | | | | |
| A | 75mm top | 28 | sm | 1300 | 36,400.00 |
| | <u>Fabric : BS 4483</u> | | | | |
| В | Reerence A 142 mesh 200 x 200 mm, weight 2.22 kgs per square meter (measured ney - no allowance made for laps) including bends: tying wire and distance block | 28 | sm | 450 | 12,600.00 |
| | Sawn formwork to insitu concrete as described:- | | | | |
| С | To sides : of soffits of ring beam & worktop | 28 | sm | 260 | 7,280.00 |
| | NATURAL STONE WALLING | | | | |
| D | 100mm thick approved local: chisel dressed both sides: bedding, jointing and pointing in cement sand (1:3) mortar | 14 | sm | 1200 | 16,800.00 |
| | Finishes to worktop | | | | |
| | Plaster; 18mm thick, 2 No. coatwork, 15mm first coat of cement sand (1:3); 3mm second coat of cement and lime putty (1:9); steel trowelled to concrete or blockwork base generally to: - | | | | |
| Е | Sides of walls and concrete surfaces | 84 | sm | 350 | 29,400.00 |
| | PAINTING AND DECORATING | | | | |
| | Prepare and apply one undercoat and three finishing coats of interior quality emulsion paint to: | | | | |
| F | Plastered walls | 84 | sm | 300 | 25,200.00 |
| | Chemical & Reagents shelve rack | | | | |
| G | Fabricate wooden shelves racks of size 2500 x 2200mm high with 4no horizontal members spaced at 500mm high | 1 | no | 30900 | 30,900.00 |
| | TOTAL FOR WORKTOPS AND FIXTURES CARRIED TO SUMMARY | | | | 158,580.00 |

| | DESCRIPTION | QTY | UNIT | RATE | K.SHS |
|------|---|-----|------|---------------|--------------|
| | SUMMARY | | | | |
| ELEM | ENT NO. TITLE | | PAG | E NO. | AMOUNT |
| 1 | SUBSTRUCTURE (ALL PROVISIONAL) | | В | W / 3 | 1,019,170.00 |
| 2 | SUPERSTRUCTURE | | В | W / 4 | 378,660.00 |
| 3 | ROOF CONSTRUCTION | | В | W / 6 | 570,210.00 |
| 4 | DOORS | | В | W / 8 | 129,760.00 |
| 6 | WINDOWS | | В | W / 9 | 139,300.00 |
| 7 | FINISHES | | BV | V / 11 | 246,150.00 |
| 8 | WORKTOP | | BV | V / 12 | 158,580.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | COUNTY ARCHITECT COUNTY WORKS OFFICER MAR 2024 DEPARTMENT OF TRANSPORT. EDADS INFRASTRUCTURE & INDUSTRY | | | | |
| | TOTAL FOR LABORATORY BLOCK CARRIE | | | | |

P.C. & PROVISIONAL SUMS



| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-------|-------|------|------------|
| | PRIME COSTS & PROVISIONAL SUMS | | | | |
| | PRIME COSTS | | | | |
| | Prime Cost sums for works to be executed by nominated subcontractors | | | | |
| A | Allow a provisional sum of Kenya Shillings One Hundred Thousand (Kshs 100,000.00) only for Electrical Installations (Connection, Conduiting, Wiring and Electrical Fittings). | | ITEM | | 100,000.00 |
| В | Allow a provisional sum of Kenya Shillings Forty Two Thousand (Kshs 42,000.00) only for Mechanical Installations (Water Connection, Internal plumbing and internal drainage) | | ITEM | | 42,000.00 |
| | PROVISIONAL SUMS | | | | |
| | The following provisional sums are to be measured on completion and priced in accordance with the rates contained in these bills of quantities or prorata thereto or | | | | |
| С | Allow for Kenya Shillings One Hundred and Sixty Thousand (Kshs 160,000.00) only for Laboratory Gas Installation | | ITEM | | 160,000.00 |
| D | Allow for Kenya Shillings Seventy Thousand (Kshs 70,000.00) only for Contingency Sums | | ITEM | | 70,000.00 |
| Е | Allow a provisional sum of Kenya Shillings Ninety Four Thousand (Ksh 94,000.00) only for Project Management. | | ITEM | | 94,000.00 |
| F | Allow a provisional sum of Kenya Shillings Forty Eight Thousand (Ksh 48,000.00) only for Project Documentation and Administration costs. | | ITEM | | 48,000.00 |
| G | Allow a provisional sum of Kenya Shillings Thirty Thousand (Ksh 25,000.00) only for Fabrication of signbard and signage | | ITEM | | 25,000.00 |
| | TOTAL FOR P.C. & PROVISIONAL SUM GRAND SUMMARY | S CAI | RRIED | ТО | 539,000.00 |

GRAND SUMMARY

COUNTY ARCHITECT
COUNTY WORKS OFFICER

-- MAR 2024

DEPARTMENT OF TRANSPORT,
FOADS, INFRASTRUCTURE & INDUSTRY
THARAKA NITHI COUNTY

| ITEM | DESCRIPTION | SHS | SHS |
|------|---|------------------|---------------------------|
| | GRAND SUMMARY | FOR OFFICIAL USE | FOR CONTRACTOR'S USE |
| 1 2 | GENERAL PRELIMINARIES MEASURED WORKS | | 23,000.00 2,641,830.00 |
| | SUB-TOTAL INCLUSIVE OF VAT | | 2,664,830.00 |
| | PRIME COST & PROVISONAL SUMS | | 539,000.00 |
| | TOTAL CARRIED TO FORM OF TENDER KSHS | | 3,203,830.00 |

| Amount of tender in words: Kenya shillings |
|--|
| |
| |
| Tenderer's signature and stamp |
| Address |
| Addiess |
| Date |
| |
| Witness: Name and signature |
| |
| Address |
| Date |



