



Republic of Kenya

MINISTRY OF EDUCATION

STATE DEPARTMENT OF EARLY LEARNING AND BASIC EDUCATION

Telegrams: "SCHOOLING", Nairobi
Telephone: Nairobi 020 2453699
Email: rcenairobi@gmail.com
cdenairobi@gmail.com

REGIONAL DIRECTOR OF EDUCATION
NAIROBI REGION
NYAYO HOUSE
P.O. Box 74629 - 00200
NAIROBI

When replying please quote

Ref: RCE/NRB/GEN/VOL.1

DATE: 13th October, 2020

The Hon. John KJ Kiarie, MP
Dagoretti South Constituency
P. O. Box 41842-00100
NAIROBI.


RE: CONSTRUCTION OF MUKARARA AND KAGIRA MIXED SECONDARY SCHOOLS

This office is in receipt of your letter dated 8th October, 2020 requesting for approval to construct the two mixed Secondary Schools in Dagoretti South Constituency.

We are pleased to inform you that there is no objection on the construction since the two schools will go a long way in enhancing the transition rates in Dagoretti South Constituency.

Kindly liaise with the Sub-County Education Office for professional support and assessment for registration by County Education Board once the construction is completed.

OBIERO J. O
REGIONAL DIRECTOR OF EDUCATION
NAIROBI.



Cc: Principal Secretary
Ministry of Education
State Department of Early Learning and Basic Education.



REPUBLIC OF KENYA



MINISTRY OF TRANSPORT, INFRASTRUCTURE, PUBLIC WORKS, HOUSING AND URBAN DEVELOPMENT

STATE DEPARTMENT OF PUBLIC WORKS

BILLS OF QUANTITIES

FOR

PROPOSED CONSTRUCTION OF PROPOSED CONSTRUCTION OF A 6NO, ONE
STOREY BUILDING CLASSROOMS, AN ADMINISTRATION BLOCK AND A 4
DOOR ABLUTION BLOCK AT KAGIRA MIXED SECONDARY SCHOOL IN
DAGORETTI SOUTH CONSTITUENCY.

TENDER NO.: DS-NGCDF-KMSS-2020/21

ISSUED BY:

REGIONAL WORKS OFFICER
NAIROBI REGION
P.O. BOX 42267
NAIROBI

PREPARED BY:

REGION ARCHITECT
NAIROBI REGION
P.O. BOX 42267
NAIROBI

REGION QUANTITY SURVEYOR
NAIROBI REGION
P.O. BOX 42267
NAIROBI

JULY, 2020

ITEM	DESCRIPTION	K.SHS
	<p>PARTICULAR PRELIMINARIES</p> <p>A PRICING ITEMS OF PRELIMINARIES Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's priced Bills of Quantities. The contractor is advised to read and understand all preliminary items.</p> <p>B DESCRIPTION OF THE WORKS The works to be carried out under this contract involves; CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK. The structures are constructed of reinforced concrete framed structure infilled with natural stone walls.</p> <p>C MEASUREMENTS In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT</p> <p>D LOCATION OF SITE The site of the proposed works is located in located at in Dagoretti South constituency. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained.</p> <p>E SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company's rubberstamp on each and every page of tender document.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
A	<p>DEMOLITIONS AND ALTERATIONS</p> <p>The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and</p> <p>as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contract</p> <p>The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whet</p> <p>Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and carted away from site.</p> <p>The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a result of the cond</p>	
B	<p>CLEARING AWAY</p> <p>The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean</p> <p>The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.</p>	50,000.00
C	<p>CLAIMS</p> <p>It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contract period.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
	<p>PARTICULAR PRELIMINARIES</p> <p>A PRICING ITEMS OF PRELIMINARIES Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's priced Bills of Quantities. The contractor is advised to read and understand all preliminary items.</p> <p>B DESCRIPTION OF THE WORKS The works to be carried out under this contract involves; CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK. The structures are constructed of reinforced concrete framed structure infilled with natural stone walls.</p> <p>C MEASUREMENTS In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT</p> <p>D LOCATION OF SITE The site of the proposed works is located in located at in Dagoretti South constituency. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained.</p> <p>E SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company 's rubberstamp on each and every page of tender document.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
A	<p>DEMOLITIONS AND ALTERATIONS</p> <p>The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and</p> <p>as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contract</p> <p>The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whet</p> <p>Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and carted away from site.</p> <p>The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a result of the cond</p>	
B	<p>CLEARING AWAY</p> <p>The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean</p> <p>The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.</p>	50,000.00
C	<p>CLAIMS</p> <p>It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contract period.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
A	<p>PAYMENTS</p> <p>The tenderer's attention is drawn to the fact that the GOVERNMENT DOES NOT MAKE ADVANCE PAYMENTS but pays for work done and materials delivered to sit: all in accordance with Clause 23 of the Conditions of Contract Agreement. In order to facilitate this,</p>	
B	<p>PREVENTION OF ACCIDENT, DAMAGE OR LOSS</p> <p>The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is thus instructed to take reasonable care in the execution of the works as to prevent accident</p>	
C	<p>WORKING CONDITIONS</p> <p>The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the fac</p>	
D	<p>SIGNBOARD</p> <p>Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.</p>	30,000.00
E	<p>LABOUR CAMPS</p> <p>The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.</p>	
F	<p>MATERIALS FROM DEMOLITIONS</p> <p>Any materials arising from demolitions and not re-used shall become the property of the Ministry of Public Works. The Contractor shall allow in his rates the cost of transporting the demolished materials to the Provincial Works Office.</p>	
	<i>Carried to collection</i>	30,000.00

ITEM	DESCRIPTION	K.SHS
A	<p>PRICING RATES The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.</p>	
B	<p>SECURITY The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.</p>	50,000.00
C	<p>URGENCY OF THE WORKS The Contractor is notified that these " works are urgent" and should be completed within the period stated in these Particular Preliminaries.</p> <p>The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated contract period.</p>	
D	<p>PAYMENT FOR MATERIALS ON SITE All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers.</p>	
E	<p>EXISTING SERVICES Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concern</p>	
F	<p>BID SECURITY The Bidder shall furnish, as part of his bid, a security as specified in the tender advertisement.</p> <p>The bid security shall, at the bidder's option, be in the form of a certified cheque, bank draft, standby letter of credit or guarantee from a reputable bank located in Kenya or foreign bank which has been determined by the bidder to be acceptable to the</p> <p>Guarantees issued as surety for the bid shall be valid for a period of One Hundred and Twenty (120) days from the date of Tender Opening.</p>	
	<i>Carried to collection</i>	50,000.00

ITEM	DESCRIPTION	K.SHS
A	<p>PERFORMANCE BOND</p> <p>A bond of 5% of the contract sum will be required in accordance with clause 6.00 (as amended) on award of contract of the Instructions to Tenderer's. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond.</p>	
B	<p>TENDER DOCUMENTS</p> <p>Tender documents are as listed in Clause 2.1 of the Instruction to Tenderer's Page STD/8</p>	
A	<p>DELIVERY OF TENDER</p> <p>Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in t</p> <p>Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened.</p>	
C	<p>VALUE ADDED TAX</p> <p>The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices fo</p> <p>The tenderer is advised that in accordance with Government public notice No. 35 & 36 Dated 11th September 2003 operational from 1st October 2003, VAT will be deducted against the contract sum at the prevailing rate by the Employer and remitted directly to</p> <p>NB: VAT SHALL be added at the Grand summary page (GS/1)</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
	<p data-bbox="316 185 576 208">SPECIAL PRELIMINARIES</p> <p data-bbox="316 264 1102 293">A Allow for Kenya Shillings Six Hundred Thousand (Kshs 600,000.00) only for Project</p> <p data-bbox="316 331 1182 360">Management Expenses (transport, site meetings, inspection, stationaries and clerk of works)</p>	<p data-bbox="1342 331 1417 353">600,000</p>
	<i>Carried to collection</i>	600,000.00

ITEM	DESCRIPTION	K.SHS
A	<u>PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT</u>	
	The following are the insertions to be made in the appendix to the Contract Agreement: -	
	Period of Final Measurement 3 Months From Practical completion	
	Defects Liability Period 6 Months from Practical completion	
	Date for Possession To be agreed with the Project Manager	
	Date for Completion Weeks from date of Possession	
	Liquidated and Ascertained At the rate of Kshs.. 35,000... per week or part thereof	
	Prime cost sums for which	
	The Contractor desires to tender	
	Period of Interim Certificates Monthly	
	Period of Honouring Certificates 30 days	
	Percentage of Certified Value Retained 10%	
	Limit of Retention Fund 5%	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	K.SHS
	<u>COLLECTION</u>	
	Brought forward from page PP/1	
	Brought forward from page PP/2	
	Brought forward from page PP/3	30,000.00
	Brought forward from page PP/4	50,000.00
	Brought forward from page PP/5	
	Brought forward from page PP/6	600,000.00
	Brought forward from page PP/7	
	TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO SUMMARY OF PRELIMINARIES	680,000.00

ITEM	DESCRIPTION	AMOUNT
A.	<p>GENERAL PRELIMINARIES</p> <p>PRICING ITEMS OF PRELIMINARIES AND PREAMBLES</p> <p>Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification.</p> <p>The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.</p>	
B.	<p>ABBREVIATIONS</p> <p>Throughout these Bills, units of measurement and terms are abbreviated and shall be all the requirements for the proper execution of the whole of the works in the Contract.</p> <p><i>C.M.</i> Shall mean cubic metre</p> <p><i>S.M.</i> Shall mean square metre</p> <p><i>L.M.</i> Shall mean linear metre</p> <p><i>MM</i> Shall mean Millimetre</p> <p><i>Kg.</i> Shall mean Kilogramme</p> <p><i>No.</i> Shall mean Number</p> <p><i>Prs.</i> Shall mean Pairs</p> <p><i>B.S.</i> - Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.</p> <p><i>Ditto</i> - Shall mean the whole of the preceding description except as qualified in the description in which it occurs.</p> <p><i>m.s.</i> Shall mean measured separately.</p> <p><i>a.b.d</i> Shall mean as before described.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A.	<p>EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT</p> <p><i>Attendance</i> ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-</p> <p>Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work; clearing away rubbish; unloading checking and hoisting; providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.</p> <p><i>Fix Only</i>:-</p> <p>"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store,unpack, assemble as necessary, distribute to position, hoist and fix only.</p>	
B.	<p>EMPLOYER</p> <p>The "Employer" is The NATIONAL GOVERNMENT CONSTITUENCY DEVELOPMENT FUND MANAGER-DAGORETTI SOUTH CONSTITUENCY.</p>	
C.	<p>PROJECT MANAGER</p> <p>The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.</p>	
D.	<p>ARCHITECT</p> <p>The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is District Works Officer , P.O. Box 42267, NAIROBI.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A	<p>QUANTITY SURVEYOR</p> <p>The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is District Works Officer, P.O. Box 42267, NAIROBI.</p>	
B	<p>ELECTRICAL ENGINEER</p> <p>The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is District Works Officer, P.O. Box 42267, NAIROBI.</p>	
C	<p>MECHANICAL ENGINEER</p> <p>The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is District Works Officer, P.O. Box 42267, NAIROBI.</p>	
D	<p>STRUCTURAL ENGINEER</p> <p>The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is District Works officer, P.O. Box 42267, NAIROBI.</p>	
E	<p>FORM OF CONTRACT</p> <p>The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2000 Edition) included herein</p> <p>The Conditions of Contract are also included herein</p> <p><i>Conditions of Contract</i></p> <p>These are numbered from 1 to 37 as set out in pages 18 to 38 of these tender documents.</p> <p>Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities</p>	
<i>Carried to collection</i>		

ITEM	DESCRIPTION	AMOUNT
A	<p>BOND.</p> <p>The Contractor shall find and submit on the Form of Tender an approved bank who will be willing to be bound to the Government in an amount equal to five per cent (5) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will, when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.</p>	
B	<p>PLANT, TOOLS AND VEHICLES</p> <p>Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.</p>	50,000.00
C	<p>TRANSPORT.</p> <p>Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.</p>	
D	<p>MATERIALS AND WORKMANSHIP.</p> <p>All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also ensure they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.</p>	
E	<p>SIGN FOR MATERIALS SUPPLIED.</p> <p>The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER</p>	
	<i>Carried to collection</i>	50,000.00

ITEM	DESCRIPTION	AMOUNT
A	<p data-bbox="300 67 558 89">STORAGE OF MATERIALS</p> <p data-bbox="300 123 1165 257">The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.</p>	100,000.00
B	<p data-bbox="300 1691 399 1713">SAMPLES</p> <p data-bbox="300 1747 1173 616">The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads, Housing and Public Works.</p> <p data-bbox="300 638 1173 750">The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.</p>	
C	<p data-bbox="300 1904 845 1926">GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.</p> <p data-bbox="300 1960 1173 996">Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.</p> <p data-bbox="300 1019 1173 1198">The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps , passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.</p>	
	<i>Carried to collection</i>	100000

ITEM	DESCRIPTION	AMOUNT
A	<p>SECURITY OF WORKS ETC.</p> <p>The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.</p>	
B	<p>PUBLIC AND PRIVATE ROADS.</p> <p>Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER</p>	
C	<p>EXISTING PROPERTY.</p> <p>The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER</p>	
D	<p>VISIT SITE AND EXAMINE DRAWINGS.</p> <p>The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.</p>	
E	<p>ACCESS TO SITE AND TEMPORARY ROADS.</p> <p>Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER The Contractor should also allow for relocating existing fence (approx. 30 metres long).</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A	<p>AREA TO BE OCCUPIED BY THE CONTRACTOR</p> <p>The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER</p>	
B	<p>OFFICE ETC. FOR THE PROJECT MANAGER</p> <p>The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the standard type, complete with furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.</p>	
C	<p>WATER AND ELECTRICITY SUPPLY FOR THE WORKS</p> <p>The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.</p>	100,000.00
D	<p>SANITATION OF THE WORKS</p> <p>The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER</p>	
	<i>Carried to collection</i>	100000

ITEM	DESCRIPTION	AMOUNT
A	<p>SUPERVISION AND WORKING HOURS</p> <p>The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.</p>	
B	<p>PROVISIONAL SUMS.</p> <p>The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.</p>	
C	<p>PRIME COST (OR P.C.) SUMS.</p> <p>The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</p>	
D	<p>PROGRESS CHART.</p> <p>The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.</p>	
C.	<p>ADJUSTMENT OF P.C. SUMS.</p> <p>In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance"</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A	<p>ADJUSTMENT OF P.C. SUMS. Ctd.....</p> <p>Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.</p>	
B	<p>ADJUSTMENT OF PROVISIONAL SUMS.</p> <p>In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.</p>	
C	<p>NOMINATED SUB-CONTRACTORS</p> <p>When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".</p>	
D	<p>DIRECT CONTRACTS</p> <p>Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A	<p>ATTENDANCE UPON OTHER TRADESMEN, ETC.</p> <p>The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.</p>	
B	<p>INSURANCE</p> <p>The Contractor shall insure as required in Clause 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.</p>	
C	<p>PROVISIONAL WORK</p> <p>All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER. Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.</p>	
D	<p>ALTERATIONS TO BILLS, PRICING, ETC.</p> <p>Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A	<p>BLASTING OPERATIONS</p> <p>Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.</p>	
B	<p>MATERIALS ARISING FROM EXCAVATIONS</p> <p>Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.</p>	
C	<p>PROTECTION OF THE WORKS.</p> <p>Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.</p>	
D	<p>REMOVAL OF RUBBISH ETC.</p> <p>Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.</p>	
E	<p>WORKS TO BE DELIVERED UP CLEAN</p> <p>Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER</p>	
	<i>Carried to collection</i>	

ITEM	DESCRIPTION	AMOUNT
A.	<p>GENERAL SPECIFICATION.</p> <p>For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads, Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.</p>	
B.	<p>TRAINING LEVY</p> <p>The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.</p>	
C.	<p>MATERIALS ON SITE</p> <p>All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.</p>	
D.	<p>HOARDING</p> <p>The Contractor shall enclose all the site under construction with a hoarding 2400 mm high consisting of iron sheets gauge 30 on 100 x 50 mm 2nd grade treated sawn cypress timber posts firmly secured at 1800 mm centres with two 75 x 50 mm 2nd grade treated sawn cypress timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.</p>	100,000
E.	<p>CONTRACTOR'S SUPERINTENDENCE/SITE AGENT</p> <p>The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.</p>	
	<i>Carried to collection</i>	100000

ITEM	DESCRIPTION	AMOUNT
	<u>COLLECTION</u>	
	Brought Forward From Page GP/ 1	
	Brought Forward From Page GP/ 2	
	Brought Forward From Page GP/ 3	
	Brought Forward From Page GP/ 4	50,000.00
	Brought Forward From Page GP/ 5	100000
	Brought Forward From Page GP/ 6	
	Brought Forward From Page GP/ 7	100000
	Brought Forward From Page GP/ 8	
	Brought Forward From Page GP/ 9	
	Brought Forward From Page GP/ 10	
	Brought Forward From Page GP/ 11	
	Brought Forward From Page GP/ 12	100000
	TOTAL FOR GENERAL PRELIMINARIES CARRIED TO SUMMARY OF PRELIMINARIES	350,000.00

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUBSTRUCTURES (ALL PROVISIONAL) CONT'D				
	<u>Hard core Filling as described.</u>				
A	300mm Imported hardcore filling including depositing levelling and compacting in layers of 150mm maximum thickness n.e 1.5 mm.	150	cm	1,700	255,000
B	50mm thick Quarry dust blinding to surfaces of hardcore :rolled smooth to receive polytheen sheeting (m.s)	500	sm	150	75,000
	<u>Antitermite treatment</u>				
C	PREMISE 200CC' or other equal and approved insecticide with a ten-years guarantee to surfaces of fill and tops of foundations	500	sm	200	100,000
	<u>Damp proofing</u>				
D	1000 gauge polythene or other equal and approved plastic sheeet damp proof memebrane laid over blinding (measured nett- allo for laps)	500	sm	230	115,000
	<u>In-situ concrete</u>				
	<u>Mass concrete (1.4.8/38-38 mm aggregate)</u>				
E	50mm thick mass concrete class x (1:4:8) to bottoms of foundations	7	cm	8,350	58,450
	ditto to column bases	4	cm	8,350	33,400
	<u>Vibrated reinforced concrete ; 1:1.5:3/ 25-20mm);as</u>				
	<u>decribed in</u>				
F	Foundations in trenches irrespective of thickness	19	cm	14,045	266,855
	ditto 200mm thick to column bases	15		14,045	210,675
G	150mm thick bed	500	sm	1,800	900,000
	<u>Reinforcement</u>				
	<u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter</u>				
	ditto 10mm to strip foundation footing	655	kgs	165	108,075
	ditto 12mm to column bases	776	kgs	165	128,040
	ditto 16mm to column stubs	840	kgs	165	138,600
	ditto 8mm to column links	210	kgs	165	34,650
	<u>Sawn formwork to insitu concrete as described:-</u>				
	to column stubs	104	sm	550	57,200
	Carried to collection				2,480,945

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>Mesh reinforcement ; B.S. 4483</u>				
A	Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per square meter (measured net - no allowance made for laps(including bends, tying wire and distance blocks	500	sm	420	210,000
	<u>Sawn formwork to insitu concrete as described:-</u>				
B	Edges of ground floor slab; 75 to 150mm wide	130	lm	200	26,000
	<u>Foundation Walling</u>				
C	200mm thick approved local natural stone; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar and reinforced with and including 20swg x 25 mm wid hoopiron in every alternate course	344	sm	1,835	631,240
	<u>Insitu finishings</u>				
D	14mm thick 2 No. coatwork cement sand (1:3) render; wood floated to concrete or blockwork base to walls; external	120	sm	400	48,000
	<u>Prepare and apply three coats black bituminous paint on:-</u>				
E	Rendered plinths, externally.	120	sm	400	48,000
	<i>Carried to collection</i>				963,240

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	From page BW/1				508,000
	From page BW /2				2,480,945
	From page BW/3				963,240
	<i>TOTAL FOR SUBSTRUCTURES CARRIED TO SUMMARY</i>				3,952,185

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 2				
	FRAME				
	<u>In situ concrete; reinforced; (1:1.5:3) class 25 / (20mm); vibrated</u>				
	ground floor columns	13	cm	14,045	182,585
	ground floor suspended beams and slabs	104	cm	14,045	1,460,680
	ditto to stairs	5	cm	14,045	70,225
	Reinforcement				
	<u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter</u>				
B	16mm dia to ground floor columns	1480	kgs	165	244,200
	ditto 8mm ground floor column links	380	kgs	165	62,700
C	ditto 16mm ground floor suspended beams	640	kgs	165	105,600
	ditto 12mm to ground floor suspended beams	350	kgs	165	57,750
	ditto 10mm to ground floor suspended slab B1 & B2	3044	kgs	165	502,260
	ditto 10mm to ground floor suspended slab T1 & T2	2646	kgs	165	436,590
	ditto 8mm suspended beams links	880	kgs	165	145,200
	ditto 10mm to stairs	380	kgs	165	62,700
	16mm dia to 1st floor columns	1480	kgs	165	244,200
	ditto 8mm column links	380	kgs	165	62,700
	ditto 12mm to 1st floor beams	1110	kgs	165	183,150
	ditto 8mm to 1st floor beams (lintles) links	642	kgs	165	105,930
	<i>Carried to collection</i>				3,926,470

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<i>Sawn formwork to insitu concrete as described:-</i>				
A	to column sides	406	sm	600	243,600
	ditto to suspended beams sides ,soffits and slab soffits	800	sm	800	640,000
	ditto to stairs soffits	30	sm	800	24,000
	<i>To Collection</i>				907,600
	From page BW /5				3,926,470
	From Above				907,600
TOTAL FOR FRAME CARRIED TO SUMMARY					4,834,070

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 3				
	<u>Natural stone walling bedded and jointed in cement and sand (1:3) mortar and reinforced with and including 20 swg x 25 mm wide hoopiron; external</u>				
A	200 mm thick reinforced with hoop iron after every two alternate courses to ground floor	648	sm	1,850	1,198,800
	ditto firstfloor walling	530	sm	1,850	980,500
	ditto 200mm thick to internal gamble fillings.	47	sm	1,850	86,950
B	ditto 200mm thick eave fillings.	50	sm	1,850	92,500
C	Extra over horizontal pointing in 10mm thick rod in cement and sand (1:3) mortar to external wall	690	sm	400	276,000
	<u>Horizontal Damp Proof Course:one layer of 3-ply bituminous felt or other equal approved (measured nett-allow for laps)</u>				
D	200mm wide, B.S. 743 Type A bitumen hessian base 150 mm laps (no allowance made for laps); horizontal, 1 no. layer, bedded in cement sand (1:3) mortar	240	lm	200	48,000
TOTAL FOR EXTERNAL AND INTERNAL WALLING CARRIED TO SUMMARY					2,682,750

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 4				
	DOORS				
	<u>Standard section purpose made heavy duty glazed steel casement door in 200 x 250mm high panes prepared for glazing (m.s) complete with all requisite frame, sub-frames, mullions, transomes, fixing lugs cast on, 1 1/2 pairs heavy duty pin type hinges associated casement door lock and handles, 2 x 200mm wide x 16 gauge bottom plate, including one coat red oxide primer before fixing and mastic sealant all around as described in:</u>				
A	Door Size 2800 x 2700mm high overall Framed RHS Steel double leaf in four equal leaves	1	No	30,000	30,000
B	ditto 1500x2700mm high	11	No	15,000	165,000
C	ditto 900x2400mm high	6	No	12,000	72,000
	Glazing				
D	5mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty	6	sm	1,500	9,000
	Painting and Decorations				
	<u>Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -</u>				
E	General surfaces of Metal door	104	sm	350	36,400
	Timber Doors				
F	900x2400mm high solid core mahoqany laminated timber	24	NO	8,000	192,000
G	ditto 1200x2700mm double flap timber flush doors for special toilets.	2	NO	10,000	20,000
	Wrot Cypress door frames; selected and kept clean				
H	200 x 50mm thick frames; with 2No.labours and countersunk screws	225	LM	540	121,500
I	75 x 15mm architrave	225	LM	200	45,000
J	25mm Dia quadrant beading	225	LM	100	22,500
	<u>Prepare and apply one coat wood primer on back of wood before fixing</u>				
K	Surfaces not exceeding 100mm girth	225	LM	100	22,500
	<u>Prepare, touch up primer and apply one undercoat and two coats clear varnish on wood surfaces</u>				
L	Door surfaces (measured flat both sides)	225	SM	350	78,750
M	Surfaces not exceeding 100mm girth	50	LM	80	4,000
	Carried to Collection				818,650

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>Ironmongery</u>				
	<u>Ironmongery</u>				
	Supply and fix the following to UNION catalogue or equal and approved				
A	Two lever mortice lock complete with set lever brass handle furniture	24	NO	3,500	84,000
B	100 mm wide pressed steel butt hinges	42	PRS	330	13,860
C	100mm barrel bolt.	4	NO	250	1,000
	<u>collection</u>				98,860
	From page 8				818,650
	From page above				98,860
TOTAL FOR DOORS CARRIED TO SUMMARY					917,510

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>Glazing</u>				
A	5mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty	181	sm	1,500	271,500
	<u>Window board</u>				
B	150 x 25 mm thick window boards including bull-nosed edges and 25 x 25 mm bearer; plugged, counter sinking and flush pelleting.	40	lm	350	14,000
	<u>Window cill</u>				
C	125 x 20 mm thick quarry tile cill with one curved edge including bedding and pointing in cement and sand (1:3) mortar	130	lm	350	45,500
D	20 x 10 mm impregnated sawn cypress timber ground plugged	130	lm	150	19,500
	<u>Painting and Decorations</u>				
	<u>Touch up premier, prepare and apply one undercoat and two finishing coats first quality gloss oil paint as 'Crown' or other equal approved manufacturer on:</u>				
E	Surfaces of small panes casement windows including burglar proofing (measured one side over glazing)	100	sm	350	35,000
	<i>Carried to collection</i>				385,500

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>COLLECTION</u>				
	From page BW/10				854,000
	From page BW/11				385,500
	TOTAL FOR WINDOWS CARRIED TO SUMMARY				1,239,500

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 6</u>				
	<u>FINISHES</u>				
	<u>Wall finishes</u>				
	<u>Internal wall</u>				
	<u>Plaster; 12mm thick 2 No. coatwork, 9mm first coat of cement sand (1:6); 3mm second coat of cement and lime putty (1:10); steel trowelled to concrete or blockwork base generally to: -</u>				
A	Walls internally	1433	sm	400	573,200
B	ditto to suspended baems and slab soffits	680	sm	400	272,000
C	ditto to stairs soffits	30	sm	400	12,000
	<u>Painting and decorations</u>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to: -</u>				
D	Walls internally	1433	sm	350	501,550
F	ditto to suspended baems and slab soffits	680	sm	350	238,000
G	ditto to stairs soffits	30	sm	350	10,500
	<u>External finishes</u>				
	<u>Render; 18mm thick, 1 No. coatwork of cement and sand (1:3); wood floated to concrete or blockwork base generally to: -</u>				
C	Beams and columns externally	259	sm	400	103,600
D	Ditto below DPC	60	sm	400	24,000
	<u>Painting and decorations</u>				
	<u>Prepare and apply three coats of first quality plastic emulsion paint to: -</u>				
E	Beams and columns externally	259	sm	350	90,650
F	Ditto below DPC	60	sm	350	21,000
<i>Carried to Collection for External & Internal Wall finishes</i>					1,846,500

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Floor finishes <u>20mm thick, 2 No. coat work terrazzo; approved colour; cement and marble chippings (1:2); machine polished; to concrete or blockwork base generally to: -</u>				
A	To Floors level; internal	1000	sm	2450	2,450,000.00
B	Skirtings; 100mm wide with rounded junction with wall finish and coved junction with floor finish	478	lm	400	191,200.00
	Beds or Backings <u>Screed; cement and sand (1:3)</u>				
C	20mm thick floor screed; wood floated to receive terrazzo paving (m/s)	600	sm	400	240,000.00
	Ceiling finishes <u>Wrot cypress</u>				
D	75 x 25mm moulded cornice	478	lm	350	167,300.00
	<u>Approved sawn softwood; second grade; pressure impregnated.</u>				
E	50 x 50mm branderling	1570	lm	300	471,000.00
	Chip board				
G	12mm thick plain chip-board ceiling board nailed to timber branderling (m/s); nails punched and puttied	500	sm	1300	650,000.00
	Painting and Decorations <u>Prepare and apply one undercoat and three coats of first quality emulsion paint to the following surfaces</u>				
	<u>To wood surfaces</u>				
H	Chip-board ceiling boards	500	sm	350	175,000.00
I	Moulded cornice not exceeding 100mm girth	478	lm	100	47,800.00
<i>Carried to Collection</i>					4,392,300

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL, IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ROOFING CONSTRUCTION, COVERING AND RAIN WATER DISPOSAL</u>				
	<u>Galvanized steel IT5 box profile sheets; 28 gauge; prepainted</u>				
A	Roof covering; 150mm laps on one end and one and a half corrugation side lap; and fixing as necessary to steel purlins (m/s) on steel trusses (m/s) at 1200mm max. c/c all laid to fall at 22.5°	690	sm	1400	966,000.00
	<u>Accessories, fixing as necessary to roof sheets</u>				
B	Standard ridge sheet	115	lm	400	46,000.00
C	Ditto valley / hip sheets	18	lm	400	7,200.00
	<u>Structural timber</u>				
	<u>Grade II presure impregnate sawn cypress in:</u>				
	<u>Framed timberwork</u>				
	<u>The following in trusses including scafed or dovetailed jointing, hoisted and fixed 3000/6000mm above ground floor slab</u>				
D	150x50mm rafter	456	lm	460	209,760.00
E	150x50mm Tie beam	380	lm	460	174,800.00
F	100x50mm Struts or ties	722	lm	460	332,120.00
G	150x50mm King post	86	lm	460	39,560.00
	<u>Unframed timber work</u>				
H	150x50mm Common rafter	192	lm	550	105,600.00
J	75x50mm Purlins	580	lm	550	319,000.00
K	220x50mm Ridge board	55	lm	550	30,250.00
L	100x50mm Wall plate fixed with and including 200mm long x 12mm diameter anchor bolts cast into beam at 1800mm centres, provide for all necessart drilling, threading, nuts and washers	130	lm	450	58,500.00
	<u>In grade II treated wrot cypress</u>				
M	225x25mm fascia or verge board	130	lm	350	45,500.00
N	25mm Thick prime grade tounge and grooved eaves or verge boarding in 100mm wide strips on and including 50x50mm sawn cypress brandaring at 600mm centres both direction	78	sm	2000	156,000.00
	<i>Carried to collection</i>				2,490,290.00

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY,

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>RAINWATER DISPOSAL</u>				
	<u>Rain water goods</u>				
	<u>24g Galvanised mild steel sheeting; all welds ground smooth</u>				
A	150 x 100mm box gutter including soldered joints in the running length fixed to fascia board with and including brackets at approved centers	130	lm	950	123,500.00
B	Extra, for blocked ends with 75mm dia.outlet 100mm long	13	No	500	6,500.00
C	Extra; for 90° bends	13	No	500	6,500.00
D	Extra; 75mm dia.outlet 100mm long	13	No	500	6,500.00
E	75mm dia. rainwater downpipe fixed with and including mild steel straps at 900mm centres, plugged and screwed to wall	55	lm	750	41,250.00
F	Extra; swanneck bend	13	No	500	6,500.00
G	Extra; horse shoe bend	13	No	500	6,500.00
	<u>Painting and Decorations</u>				
	<u>On Woodwork</u>				
	<u>Prepare and apply one undercoat and two coats of 'CROWN SOLO' or other equal and approved super gloss oil paint to:-</u>				
H	Fascias; 200 to 300mm girth; external	130	lm	200	26,000.00
	<u>On Metal work</u>				
	<u>Prepare and apply one approved etching primer, one undercoat and two coats of 'CROWN SOLO' or other equal and approved super gloss oil paint to:-</u>				
I	General surfaces of gutters; over 300mm girth external	60	sm	350	21,000.00
<i>Carried to collection</i>					244,250.00

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL, IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>Tongue & Grooved Timber surfaces</u>				
	<u>Prepare and apply three coats of 'CROWN SOLO' or other equal and approved polyurethane varnish to:-</u>				
A	Surfaces of eaves; over 300mm girth external	78	sm	350	27,300.00
	<u>To collection</u>				27,300.00
	<u>COLLECTION</u>				
	From page MH / 16				2,490,290.00
	From page MH / 17				244,250.00
	From Above				27,300.00
TOTAL FOR ROOFING CARRIED TO SUMMARY					2,761,840.00

PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
<u>SUMMARY</u>					
ELEMENT NO.	TITLE			PAGE NO.	K.SHS.
1	SUBSTRUCTURE (ALL PROVISIONAL)			BW/4	3,952,185
2	R.C. SUPERSTRUCTURE			BW/6	4,834,070
3	EXTERNAL & INTERNAL WALLING			BW/7	2,682,750
4	DOORS			BW/9	917,510
5	WINDOWS			BW/12	1,239,500
6	FINISHES			BW/15	6,238,800
7	ROOFING			BW/18	2,761,840
TOTAL BUILDERS WORKS TO GRAND SUMMARY					22,626,655

**PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR
KAGIRA MIXED SECONDARY SCHOOL IN DAGORETTI SOUTH CONSTITUENCY.**

ITEM	DESCRIPTION	QTY	UNIT	RATE	K.SHS
	<u>PRIME COSTS & PROVISIONAL SUMS</u>				
	<u>PROVISIONAL SUMS</u>				
	<u>The following provisional sums are to be measured on completion and priced in accordance with the rates contained in these bills of quantities or prorata thereto or deducted in whole if not required</u>				
A	Allow for Kenya Shillings Three hundred thousands (Kshs 300,000.00) only for Electrical Installations		ITEM		300,000.00
B	Allow for Kenya Shillings three hundred thousands (Kshs 300,000.00) only for Mechanical works and Installations		ITEM		300,000.00
C	Allow for Kenya Shillings Five Hundred Thousand (Kshs 500,000.00) only for Contingencies		ITEM		500,000.00
TOTAL FOR P.C. & PROVISIONAL SUMS CARRIED TO GRAND SUMMARY					1,100,000.00

**PROPOSED CONSTRUCTION OF SIX CLASSROOMS, ABLUTION BLOCK AND ADMINISTRATION BLOCK FOR KAGIRA MIXED SECONDARY SCHOOL
IN DAGORETTI SOUTH CONSTITUENCY.**

ITEM	DESCRIPTION	SHS	SHS
		FOR OFFICIAL USE	FOR CONTRACTOR'S USE
MAIN SUMMARY			
1	PARTICULAR PRELIMINARIES	680,000.00	
2	GENERAL PRELIMINARIES	350,000.00	
3	BUILDERS WORK	22,626,655.00	
4	PROVISIONAL SUMS PS/1	1,100,000.00	
TOTAL CARRIED TO FORM OF TENDER KSHS		24,756,655.00	

CONTRACTOR'S NAME,.....

ADDRESS,.....

DATE,

SIGNATURE,

WITNESS NAME,.....

ADDRESS.....

DATE,

SIGNATURE,

KAGIRA PRI SCHOOL

P.O. BOX 21046

NAIROBI

10th FEB 2020

TO THE MANAGER,
N.G. C.D.F DAGORETTI SOUTH,
DETA SIR,

REF: REQUEST FOR A SECONDARY SCHOOL AT KAGIRA

The school Board of Management (BOM) met on 3rd Feb 2020. The members were happy with the Dagoretti South N.G.C.D.F projects carried out in the school. They also requested the MCA member of parliament to consider putting up a mixed secondary school in the school since the primary school has a big portion of land and can accommodate a secondary school in the same compound.

We are therefore requesting the N.G.C.D.F Dagoretti South to consider this when funds are available. Thanking you in anticipation
Yours for service
J. K. Gathings
Head teacher

KAGIRA PRIMARY SCHOOL
P.O. Box 21046
NAIROBI

KAGIRA PRIMARY SCHOOL

BOB MEETING HELD ON
3/2/2020

MEMBERS PRESENT

J. K. KATHINKI - SEC (HEADTEACHER)

SIMON KINGORI (CHAIR)

Elizabeth Anesa

L. Gichuru Gitau

Jane Adams

Caroline Wanda

John Thuo

Catherine Kimani

Grace Wangari

absent with Apology

1. Faith Wangiku

Agenda

1. K. C. P. E 2019
2. NACOF projects
3. O. A. B

Agenda I 2020

1. The meeting started with prayer by Mr. Kingori.
~~He~~ after wards called the meeting to order.

Agenda 2 - The Headteacher thanked the BOB for turning up for the meeting. He also highlighted on 2019 K. C. P. E results which had an improvement noted. He also noted that the school had performed well as compared to neighbouring schools, but waiting for an analysis from the ministry.

He urged them to continue and hoped that the school would continue with the upward trend if they cooperated.

Agenda 3 2020

The secretary also in ~~an~~ absence of thanked the area members of parliament for putting up various classes and toilets which were all complete and functional. They all visited the renovated classes and new toilets and were satisfied and happy with the progress.

It was also noted that the school has a big land that can accommodate a secondary section. They all requested the Head teacher to request the Dagaretti South NACOF to ~~be~~ consider putting up a ~~new~~ secondary school. The Head teacher agreed to act on the same request.

Agenda 4 2020

A. O B - with no any other business the meeting ended with prayers by madam Musa.

J. K. Katurangi Head teacher - ~~Secretary~~
S. Kung'ori BOB (Chair) ~~Secretary~~
E. Musa P.A (Chair) ~~Secretary~~

DAKINA PRIMARY SCHOOL
P. O. Box 21046
NAIROBI